







A brand of RO & Co S.p.A.
(U.S. BRANCH)
601 Brickell Key Drive
Miami, Florida 33131, USA
Tel. +1 305 (705) 5017
sales@worky-america.com

GERFHP/US+ / GERFTHP/US+ technical datasheet

www.worky-italy.com



WINDING MOTOR	W	V	Ph	Hz	A	Torque [Nm]	max lift [lb]
3" TO 6" HOSE	610	115	1	50-60	5.2	170	375

15 ft



GERF/US+

GERFT/US+


COD.	GERFHP/US+ / GERFTHP/US+													
	Ø [in]	LT [ft]	HP/Kw	A [in]	D [in]	F [in]	G [in]	HxL [in]	M [in]	N [in]	Q [in]	P [in]	R [mm]	Lb
GERFHP/US+757.5	3	25	0.5/0.37	24.80	25.00	20.79	27.64	0.78x0.51	10.79	32.99	5	14.80	4.72	106
GERFHP/US+7510		33	0.5/0.37	31.50	25.00	20.79	2x17.17		10.79	52.56	5	14.80	4.72	115
GERFHP/US+7512.5		41	0.5/0.37	26.77	31.65	25.59	2x13.37		12.76	47.87	5	19.06	4.72	159
GERFHP/US+7515		49	0.5/0.37	33.46	33.19	25.59	2x17.17		12.76	54.57	5	19.06	4.72	170
GERFHP/US+1007.5	4	25	0.5/0.37	24.80	26.97	22.76	27.64	0.78x0.52	10.79	46.42	5	15.79	4.72	108
GERFHP/US+10010		33	0.5/0.37	31.50	26.97	22.76	2x17.17		10.79	52.56	5	15.79	4.72	119
GERFHP/US+10012.5		41	0.5/0.37	33.46	32.20	26.69	2x16.71		12.76	54.57	5	19.06	4.72	161
GERFHP/US+10015		49	0.5/0.37	42.52	33.19	26.69	2x14.17		12.76	64.61	5	19.06	4.72	187
GERFHP/US+1257.5	5	25	1.5/1.1	26.77	33.19	28.74	2x13.37	0.78x0.53	12.76	48.86	6.3	19.06	5	170
GERFHP/US+12510		33	1.5/1.1	33.46	33.19	28.74	2x16.71		12.76	55.55	6.3	19.06	5	185
GERFHP/US+12512.5		41	1.5/1.1	42.52	33.19	28.74	3x14.2		12.76	64.61	6.3	19.06	5	214
GERFHP/US+12515		49	1.5/1.1	42.52	33.19	28.74	3x14.2		12.76	64.61	6.3	19.06	5	220
GERFHP/US+1507.5	6	25	1.5/1.1	26.77	35.16	30.71	2x13.4	0.78x0.54	12.76	48.86	6.3	19.06	5	190
GERFHP/US+15010		33	1.5/1.1	33.46	35.16	30.71	2x16.71		12.76	55.55	6.3	20.04	5	203
GERFHP/US+15012.5		41	1.5/1.1	42.52	35.16	30.71	3x14.2		12.76	64.61	6.3	20.04	5	218
GERFHP/US+15015		49	1.5/1.1	50.08	35.16	30.71	3x17.5		12.76	72.17	6.3	20.04	5	218



A brand of RO & Co S.p.A.
(U.S. BRANCH)
601 Brickell Key Drive
Miami, Florida 33131, USA
Tel. +1 305 (705) 5017
sales@worky-america.com

www.worky-italy.com

GERFHP/US+ / GERFTHP/US+ technical datasheet



GSA0.5-R

HP: 0.5

Kw: 1.1


V: 208-230/460

A: 1.86-1.68/0.84

Hz: 60

dB(A): 78

COD.	HP/Kw
GERFHP+757.5	0.5/0.37
GERFHP+7510	0.5/0.37
GERFHP+7512.5	0.5/0.37
GERFHP+7515	0.5/0.37
GERFHP+1007.5	0.5/0.37
GERFHP+10010	0.5/0.37
GERFHP+10012.5	0.5/0.37
GERFHP+10015	0.5/0.37






A brand of RO & Co S.p.A.
(U.S. BRANCH)
601 Brickell Key Drive
Miami, Florida 33131, USA
Tel. +1 305 (705) 5017
sales@worky-america.com

www.worky-italy.com

GERFHP/US+ / GERFTHP/US+ technical datasheet



GSA/US1.5R

HP: 1.5

Kw: 1.1

V: 208-230/460

A: 4.51-4.1/2.05

Hz: 60

dB(A): 78

COD.	HP/Kw
GERFHP+1257.5	1.5/1.1
GERFHP+12510	1.5/1.1
GERFHP+12512.5	1.5/1.1
GERFHP+12515	1.5/1.1
GERFHP+1507.5	1.5/1.1
GERFHP+15010	1.5/1.1
GERFHP+15012.5	1.5/1.1
GERFHP+15015	1.5/1.1

