


GRK/US

READY-KIT

GRK/US kits provide a quick answer for proposing complete rail systems of multiple lengths and with sliding elements according to the number of work bays. You just need to add the variables that best suit the case (nozzles, brackets, chimney, switch) and the system is done! The READY KIT is designed to serve from 2 to 7 work bays in line, even if, thanks to its extreme flexibility, we can extend it as much as required. This product has several versions: with sliding trolleys, with hose reels and with the latest system, the universal GTL TOUCHLESS (contactless solution).





GRK/US1



Complete kits with rail, fan (460V - 3phase - 60hz), one sliding carriage with 25' long hose. To be completed with hanging brackets, nozzle and chimney.

GRK/US1	HOSE	RAIL	HP FAN
GRK/US1-75-8	3" / 25'	26'	0.5
GRK/US1-75-12	3" / 25'	39'	0.5
GRK/US1-75-16	3" / 25'	52'	0.5
GRK/US1-75-20	3" / 25'	66'	0.5
GRK/US1-75-24	3" / 25'	79'	0.5
GRK/US1-100-8	4" / 25'	26'	1.0
GRK/US1-100-12	4" / 25'	38'	1.0
GRK/US1-100-16	4" / 25'	52'	1.0
GRK/US1-100-20	4" / 25'	66'	1.0
GRK/US1-100-24	4" / 25'	79'	1.0

GRK/US1	HOSE	RAIL	HP FAN
GRK/US1-125-12	5" / 25'	39'	1.0
GRK/US1-125-16	5" / 25'	52'	1.0
GRK/US1-125-20	5" / 25'	66"	1.0
GRK/US1-125-24	5" / 25'	79'	1.0
GRK/US1-125-28	5" / 25'	92'	1.0
GRK/US1-150-12	6" / 25'	39'	1.5
GRK/US1-150-16	6" / 25'	52'	1.5
GRK/US1-150-20	6" / 25'	66'	1.5
GRK/US1-150-24	6" / 25'	79'	1.5
GRK/US1-150-28	6" / 25'	92'	1.5

GRK/US1R



Complete kits with rail, fan (460V - 3phase - 60hz), one sliding hose reel with 25' long hose. To be completed with hanging brackets, nozzle and chimney.

GRK/US1R	HOSE	RAIL	HP FAN
GRK/US1R-75-8	1 x 3" / 25'	26'	0.5
GRK/US1R-75-12	1 x 3" / 25'	39'	0.5
GRK/US1R-75-16	1 x 3" / 25'	52'	0.5
GRK/US1R-75-20	1 x 3" / 25'	66'	0.5
GRK/US1R-75-24	1 x 3" / 25'	79'	0.5
GRK/US1R-100-8	1 x 4" / 25'	26'	1.0
GRK/US1R-100-12	1 x 4" / 25'	39'	1.0
GRK/US1R-100-16	1 x 4" / 25'	52'	1.0
GRK/US1R-100-20	1 x 4" / 25'	66'	1.0
GRK/US1R-100-24	1 x 4" / 25'	79'	1.0



GRK/US1GTL




Complete kits with rail, fan (460V - 3 phase - 60hz), one sliding GTL touchless arm. To be completed with hanging brackets and chimney.

GRK/US1R	HOSE	RAIL	HP FAN
GRK/US1R-125-12	1 x 5" / 25'	39'	1.0
GRK/US1R-125-16	1 x 5" / 25'	52'	1.0
GRK/US1R-125-20	1 x 5" / 25'	66'	1.0
GRK/US1R-125-24	1 x 5" / 25'	79'	1.0
GRK/US1R-125-28	1 x 5" / 25'	92'	1.0
GRK/US1R-150-12	1 x 6" / 25'	39'	1.5
GRK/US1R-150-16	1 x 6" / 25'	52'	1.5
GRK/US1R-150-20	1 x 6" / 25'	66'	1.5
GRK/US1R-150-24	1 x 6" / 25'	79'	1.5
GRK/US1R-150-28	1 x 6" / 25'	92'	1.5

GRK/US1GTL	ARM	RAIL	HP FAN
GRK/US1GTL-4	1 x 6.3" / 15' LONG	13'	1.0
GRK/US1GTL-8	1 x 6.3" / 15' LONG	26'	1.0
GRK/US1GTL-12	1 x 6.3" / 15' LONG	39'	1.0
GRK/US1GTL-16	1 x 6.3" / 15' LONG	52'	1.0



GRK/US2



Complete kits with rail, fan (460V - 3 phase - 60hz), two sliding carriages with 25' long hose. To be completed with hanging brackets, nozzles and chimney.

GRK/US2	HOSE	RAIL	HP FAN
GRK/US2-75-8	2 x 3" / 25'	26'	1.0
GRK/US2-75-12	2 x 3" / 25'	39'	1.0
GRK/US2-75-16	2 x 3" / 25'	52'	1.0
GRK/US2-75-20	2 x 3" / 25'	66'	1.0
GRK/US2-75-24	2 x 3" / 25'	79'	1.0
GRK/US2-100-8	2 x 4" / 25'	26'	1.0
GRK/US2-100-12	2 x 4" / 25'	39'	1.0
GRK/US2-100-16	2 x 4" / 25'	52'	1.0
GRK/US2-100-20	2 x 4" / 25'	66'	1.0
GRK/US2-100-24	2 x 4" / 25'	79'	1.0


GRK/US2	HOSE	RAIL	HP FAN
GRK/US2-125-12	2 x 5" / 25'	39'	1.5
GRK/US2-125-16	2 x 5" / 25'	52'	1.5
GRK/US2-125-20	2 x 5" / 25'	66'	1.5
GRK/US2-125-24	2 x 5" / 25'	79'	1.5
GRK/US2-125-28	2 x 5" / 25'	92'	1.5
GRK/US2-150-12	2 x 6" / 25'	39'	2.0
GRK/US2-150-16	2 x 6" / 25'	52'	2.0
GRK/US2-150-20	2 x 6" / 25'	66'	2.0
GRK/US2-150-24	2 x 6" / 25'	79'	2.0
GRK/US2-150-28	2 x 6" / 25'	92'	2.0

GRK/US2R



Complete kits with rail, fan (460V - 3 phase - 60hz), two sliding reels with 25' long hose. To be completed with hanging brackets, nozzles and chimney.

GRK/US2R	HOSE	RAIL	HP FAN
GRK/US2R-75-8	2 x 3" / 25'	26'	1.0
GRK/US2R-75-12	2 x 3" / 25'	39'	1.0
GRK/US2R-75-16	2 x 3" / 25'	52'	1.0
GRK/US2R-75-20	2 x 3" / 25'	66'	1.0
GRK/US2R-75-24	2 x 3" / 25'	79'	1.0
GRK/US2R-100-8	2 x 4" / 25'	26'	1.0
GRK/US2R-100-12	2 x 4" / 25'	39'	1.0
GRK/US2R-100-16	2 x 4" / 25'	52'	1.0
GRK/US2R-100-20	2 x 4" / 25'	66'	1.0
GRK/US2R-100-24	2 x 4" / 25'	79'	1.0



GRK/US2GTL




Complete kits with rail, fan (460V - 3 phase - 60hz), two sliding GTL touchless arms. To be completed with hanging brackets and chimney.

GRK/US2R	HOSE	RAIL	HP FAN
GRK/US2R-125-12	2 x 5" / 25'	39'	1.5
GRK/US2R-125-16	2 x 5" / 25'	52'	1.5
GRK/US2R-125-20	2 x 5" / 25'	66'	1.5
GRK/US2R-125-24	2 x 5" / 25'	79'	1.5
GRK/US2R-125-28	2 x 5" / 25'	92'	1.5
GRK/US2R-150-12	2 x 6" / 25'	39'	2.0
GRK/US2R-150-16	2 x 6" / 25'	52'	2.0
GRK/US2R-150-20	2 x 6" / 25'	66'	2.0
GRK/US2R-150-24	2 x 6" / 25'	79'	2.0
GRK/US2R-150-28	2 x 6" / 25'	92'	2.0

GRK/US2GTL	ARMS	RAIL	HP FAN
GRK/US2GTL-4	2 x 6.3" / 15' LONG	13'	1.5
GRK/US2GTL-8	2 x 6.3" / 15' LONG	26'	1.5
GRK/US2GTL-12	2 x 6.3" / 15' LONG	39'	1.5
GRK/US2GTL-16	2 x 6.3" / 15' LONG	52'	2.0
GRK/US2GTL-20	2 x 6.3" / 15' LONG	66'	2.0



GRK/US3



Complete kits with rail, fan (460V - 3 phase - 60hz), three carriages with 25' long hose. To be completed with hanging brackets, nozzles and chimney.

GRK/US3	HOSE	RAIL	HP FAN
GRK/US3-75-8	3 x 3" / 25'	26'	1.0
GRK/US3-75-12	3 x 3" / 25'	39'	1.0
GRK/US3-75-16	3 x 3" / 25'	52'	1.0
GRK/US3-75-20	3 x 3" / 25'	66'	1.0
GRK/US3-75-24	3 x 3" / 25'	79'	1.0
GRK/US3-100-8	3 x 4" / 25'	26'	1.5
GRK/US3-100-12	3 x 4" / 25'	39'	1.5
GRK/US3-100-16	3 x 4" / 25'	52'	1.5
GRK/US3-100-20	3 x 4" / 25'	66'	1.5
GRK/US3-100-24	3 x 4" / 25'	79'	1.5

GRK/US3R



Complete kits with rail, fan (460V - 3 phase - 60hz), three sliding reels with 25' long hose. To be completed with hanging brackets, nozzles and chimney.

GRK3R	HOSE	RAIL	HP FAN
GRK/US3R-75-8	3 x 3" / 25'	26'	1.0
GRK/US3R-75-12	3 x 3" / 25'	39'	1.0
GRK/US3R-75-16	3 x 3" / 25'	52'	1.0
GRK/US3R-75-20	3 x 3" / 25'	66'	1.0
GRK/US3R-75-24	3 x 3" / 25'	79'	1.0
GRK/US3R-100-8	3 x 4" / 25'	26'	1.5
GRK/US3R-100-12	3 x 4" / 25'	39'	1.5
GRK/US3R-100-16	3 x 4" / 25'	52'	1.5
GRK/US3R-100-20	3 x 4" / 25'	66'	1.5
GRK/US3R-100-24	3 x 4" / 25'	79'	1.5



GRK/US3GTL



Complete kits with rail, fan (460V - 3 phase - 60hz), three sliding GTL touchless arms. To be completed with hanging brackets and chimney.


GRK3GTL	ARMS	RAIL	HP FAN
GRK/US3GTL-4	3 x 6.3" / 25'	13'	3.0
GRK/US3GTL-8	3 x 6.3" / 25'	26'	3.0
GRK/US3GTL-12	3 x 6.3" / 25'	39'	3.0
GRK/US3GTL-16	3 x 6.3" / 25'	52'	3.0
GRK/US3GTL-20	3 x 6.3" / 25'	66'	3.0







SNAKE




Complete kit for test lanes with steel slide line, hose, balancer, nozzle with grip, automatic return and fan.

GSNK	Ø HOSE	LINE L.	HP
GSNK/US-100-8	4"	26'	0.5
GSNK/US-100-12	4"	39'	0.5
GSNK/US-100-16	4"	52'	1.0
GSNK/US-100-20	4"	66'	1.0
GSNK/US-150-16	6"	52'	1.5
GSNK/US-150-20	6"	66'	1.5
GSNK/US-150-24	6"	79'	1.5





DRIVE KIT




Complete kit for test line with rail, fan (460V - 3phase - 60hz), one carriage with 25' long hose, nozzle and balancer. To be completed with hanging brackets and chimney.

GDK/UK	HOSE	RAIL	HP FAN
GDK/US-100-8	4" / 25'	26'	1.0
GDK/US-100-12	4" / 25'	39'	1.0
GDK/US-100-16	4" / 25'	52'	1.0
GDK/US-100-20	4" / 25'	66'	1.0
GDK/US-150-16	6" / 25'	52'	1.5
GDK/US-150-20	6" / 25'	66'	1.5
GDK/US-150-24	6" / 25'	79'	1.5




GSTS



Ceiling brackets in different lengths and inclination device for aluminum track support.

GSTS	L.	Distance
GSTS	4"	11' / 13'
GSTS-05	20"	11' / 13'
GSTS-1.5	5'	11' / 13'
GSTS-3	10'	11' / 13'
GSTS-4.5	15'	11' / 13'


GSKT



Set of steel cables for balancing the rail supports.

GSKT	L.	Ø
GSKT	2 X 16.4'	0.2"

GKSTS



H beam supporting elements for ceiling brackets GSTS.

GKSTS	L. max	H max
GKSTS-IPE	15.8"	-
GKSTS-SB	15.8"	15.8"

GRK-KS



Complete fixing kit with 10' long hanging brackets and tightening rods for aluminum tracks.

GRK-KS	RAIL	NR. GSTS-3	NR. GSKT
GRK-KS8	26'	3	3
GRK-KS12	39'	4	4
GRK-KS16	52'	5	5
GRK-KS20	66'	6	6
GRK-KS24	79'	7	7
GRK-KS28	92'	8	8

GSTM



Wall brackets, fix or adjustable, for aluminum track support.

GSTM	L. max
GSTM0.5	20"
GSTM1	from 20" to 40"
GSTM1.5	60"
GSTM2	from 40" to 78"



WORKY