



GYNMA





The GYNMA double nozzles mounted on the trolley offer a universal and contactless solution for every car. The fact that it is mounted on a trolley allows an easy handling and the multi-regulation offered by the adjustable armlets provides a unique flexibility of its kind. GYNMA offers several configurations, diameters and temperature resistance. Now extracting the exhaust gas from double silencer's cars will no longer be a problem, GYNMA fits to any vehicle and can get connected to existing single pipe systems. The ergonomic trolley and friendly application make GYNMA the universal nozzle for all cars or motorbikes.



www.worky-italy.com

A brand of RO & Co S.p.A.
(U.S. BRANCH)
601 Brickell Key Drive
Miami, Florida 33131, USA
Tel. +1 305 (705) 5017
sales@worky-america.com



GYNMAG-GON100 - technical datasheet



POS.	QNT	CODE
1	1	GYNMA-WN
2	2	GON-100
3	1	607.12.012.0 + 700.16.003.2
4	2	GTP2-1001.25



" x x H
lb 59,5



THIS DRAWING IS PROPERTY OF RO & Co S.p.A. THE COMPLETE OR PARTIAL REPRODUCTION OF THIS DOCUMENT IS FORBIDDEN. THE OWNER RESERVES THE RIGHT TO UPDATE, MODIFY OR AMEND ANY SPECIFICATION WITHOUT PRIOR NOTICE.

Rev.00

14/06/2021


GYNMA-WN



Trolley mounted metal structure with adjustable arms and collars for supporting a custom made double nozzle set.

GYNMA-WN	H max	L max
GYNMA-WN	3'	6'
GYNMA2-WN	7'	6'


GYNMAG



Trolley mounted nozzle for double exhaust pipes, complete with Y piece suitable for a quick connection to the GRNG nozzle, two hoses 5' long each, clamps and two rubber nozzles model GRN mounted on independently adjustable armlets.

GYNMAG	Ø A	Ø B	Ø C	Nozzle
GYNMAG-1007575	4"	3"	3"	GRN-16075
GYNMAG-100100100	4"	4"	4"	GRN-160100

GYNMAG-GON



Trolley mounted nozzle for double exhaust pipes, complete with Y piece suitable for a quick connection to the GRNG nozzle, two hoses 5' long each, clamps and two oval nozzles model GON mounted on independently adjustable armlets.

GYNMAG-GON	Ø A	Ø B	Ø C	Nozzle
GYNMAG-GON75	4"	3"	3"	GON-75
GYNMAG-GON100	4"	4"	4"	GON-100





GYNMA-HT5

950°F



Trolley mounted nozzle for double exhaust pipes, two high temperature resistant hoses 4' long each, clamps and two stainless steel nozzles mounted on independently adjustable armlets.

GYNMA-HT	Ø A	Ø B	Ø C	Lungh. / Lenght
GYNMA-150125125HT5	6"	5"	5"	2 x 4' - 950°F

GYNMA-HT7

1300°F




Trolley mounted nozzle for double exhaust pipes, two very high temperature resistant hoses 4' long each, clamps and two stainless steel nozzles mounted on independently adjustable armlets.

GYNMA-HT	Ø A	Ø B	Ø C	Hose lenght
GYNMA-150125125HT7	6"	5"	5"	2 x 4' - 1300°F

GYNMA-DPFHT7

1300°F



Trolley mounted nozzle for double exhaust pipes, two very high temperature resistant hoses 4' long each, clamps and two stainless steel nozzles mounted on independently adjustable armlets.

GYNMA-DPFHT7	Ø A	Ø B	Ø C	Hose lenght
GYNMA-DPFHT7	8"	6"	6"	2 x 4' - 1300°F

GRNP-M



Rubber nozzle on stand with height adjustable rod. The models for hose diam 3" and 4" are specially developed for motorcycle applications. the stand can be removed from the floor platform in order to be fixed on the motorcycle lifting platform.

GRNP	Ø	Nozzle	Magnets
GRNP-75M	3"	GRN-16075/SV	✓
GRNP-100M	4"	GRN-160100	✓
GRNP-125	5"	GRN-160125	x
GRNP-150	6"	GRTN-150	x

GMNT-HT



Trolley mounted nozzle with two locking wheels, stainless steel suction intake for high temperature (dimensions approved by TÜV-GERMANY) mounted on height adjustable rod.

GMNT-HT	Ø Hose	Nozzle	castor wheels	QUICK COUPLING
GMNT-75HT	3"	S.STEEL	4 (2 with brakes)	x
GMNT-100HT	4"	S.STEEL	4 (2 with brakes)	✓
GMNT-125HT	5"	S.STEEL	4 (2 with brakes)	x
GMNT-150HT	6"	S.STEEL	4 (2 with brakes)	✓

GMNT-AU



Trolley mounted nozzle with two locking wheels , stainless steel suction intake for high temperature mounted on 20" tilting rod.

GMNT-AU	Ø
GMNT-AU100	4"
GMNT-AU150	6"

GMNT-400200



Trolley mounted nozzle with two locking wheels, galvanized steel suction intake with big dimensions and adjustable in height.

GMNT	dim. (inches)	Ø
GMNT-400200	16"x 16"	8"

GMNT-150MAN



Trolley mounted nozzle with two locking wheels, galvanized steel suction intake (big sized) with quick coupling and mounted on 20" tilting rod.

GMNT-MAN	dim. intake	Ø
GMNT-150MAN	14,17"x 11,81"	6"

GMNT-E6K7B



Trolley mounted nozzle with two locking wheels, galvanized steel suction intake suitable for MERCEDES ACTROS euro 6 with specific exhaust type E6K7B.

GMNT-E6K7B	Ø
GMNT-E6K7B	6"

GMNT-GTL



GMNT-GTL	Ø	HOSE CONNECTION DIAM.
GMNT-GTL	6.3"	6"

Trolley mounted nozzle with two locking wheels and TOUCHLESS end nozzle mounted on extendable arm and tight closing valve. This nozzle has been studied to reach (even with inspection pit) the centrally mounted exhaust pipes on trucks with the exhaust tip pointed down.



